



Gold Aura Limited

A.B.N. 75 067 519 779



26 November 2007


SIGNIFICANT ASSAYS HOLE A2-007, ANOMALY A2, CROYDON


KEY POINTS

- Significant assays have been reported for Hole A2-007. The more significant of these are as follows;
 - 2.0m (211.0m to 213.0m) at 3.18% zinc, 37.4 g/t silver, 0.18% tin
 - 2.0m (225.0m to 227.0m) at 2.36% zinc, 20.9 g/t silver, 0.30% tin, 0.059% copper
 - 3.0m (393.0m-396.0m) at 5.10% zinc, 513.0 g/t Ag, 0.60% tin and 0.68% copper

DETAILS

Assay results for Hole A2-007 have now been received. The hole was designed to test Anomaly A2 some 300 metres to the north-east of discovery hole A2-001. The 498.5 metre hole was drilled to the north on an inclination of 60 degrees.





Significant polymetallic vein-style mineralisation was intersected in the Basement from its commencement below the overlying sediments at 137.0 metres to the end of the hole. The entire 361.5 metre basement section was found to contain;

0.23% zinc, 8.6 g/t silver and 0.056% tin

Significant intersections from Hole A2-006 are:

Intersection	Zinc (%)	Silver (g/t)	Lead (%)	Tin (%)	Copper (%)
1.0m (160.0m to 161.0m)	3.04	118.0		0.13	0.08
1.0m (174.0m to 175.0m)	2.11	18.3		0.04	
1.0m (181.0m to 182.0m)	3.21	33.9		0.21	
1.0m (192.0m to 193.0m)				1.00*	
2.0m (211.0m to 213.0m)	3.18	37.4		0.18	
2.0m (225.0m to 227.0m)	2.36	20.9		0.30	0.059
1.0m (233.0m to 234.0m)	2.64	25.9		0.15	0.079
1.0m (286.0m to 287.0m)	1.72	53.0	0.04	0.44	0.067
1.0m (288.0m to 289.0m)	1.72	49.4		1.00*	0.073
1.0m (298.0m to 299.0m)	1.08	7.1		0.032	
1.0m (338.0m to 339.0m)	2.01	11.4		0.188	
3.0m (393.0m to 396.0m)	5.10	513.0	0.68	0.60	1.71
1.0m (421.0m to 422.0m)	1.65	20.8			0.036
1.0m (429.0m to 430.0m)	1.38	8.6		0.24	0.15
1.0m (431.0m to 432.0m)	1.21	18.7		0.09	0.09
1.0m (438.0m – 439.0m)	1.81	4.4		0.12	0.09
1.0m (452.0m to 453.0m)	1.56	3.8		0.068	0.051

* In excess of 1.0% tin – actual level pending XRF assay

NB: Where assay results are insignificant, cells have been left blank.

All significant intersections obtained from the drilling at Anomaly A2 are listed in appended Table 1.

FORWARD PROGRAM

Interpretation of data generated from the now completed gravity and induced polarisation (IP) surveys is currently in progress.

The 2007 drilling program for Croydon has now been completed ahead of the impending wet season. Logging and sampling of the remaining drill core is in progress and is nearing completion. Assay results will be reported when available.

The 2008 drilling program will commence following the wet season.

ABOUT GOLD AURA LIMITED

Gold Aura's principal activity is the global exploration for world class mineral resources. Its current focus is directed towards follow-up investigations of the newly discovered zinc dominant and copper dominant mineralised zones at Croydon, the resource infill drilling program at Gameta in PNG and the expected commencement of exploration at Sao Chico in Brazil. Gold Aura is also continuing with exploration on its promising gold projects in Kazakhstan and China.

For further information please contact:

Ken Chapple
Managing Director
+61 7 3833 3833  Mb 0418 758 301

or visit Gold Aura's website at www.goldaura.com.au.

The information contained in this report relating to exploration results is based on information compiled by Mr Ken Chapple, Managing Director of Gold Aura Limited. Mr Chapple is a Member of the Australasian Institute of Mining and Metallurgy and has the relevant experience in relation to the mineralisation being reported upon to qualify as a Competent Person as defined in the 2004 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr Chapple consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Yours faithfully
GOLD AURA LIMITED



Ken Chapple
Managing Director

TABLE 1 – SIGNIFICANT DRILL INTERSECTIONS – ANOMALY A2 CROYDON

Hole No.	Intersection	Zinc (%)	Silver (g/t)	Gold (g/t)	Lead (%)	Tin (%)	Copper (%)
A2-001	369.5m (121.6m to 491.1m)	0.55	12.7		0.018	0.10	0.041
	3.5m (129.5m to 133.0m)		91.8		-	0.14	0.066
	2.0m (133.0 to 135.0m)	0.09			0.13	0.236	
	133.0m (134.0m to 267.0m)	1.11	18.4		0.041	0.153	0.035
	<i>Including 13.2m (142.8m – 156.0m)</i>	1.60	29.3		0.021	0.227	0.041
	<i>Including 1.0m (160.0m to 161.0m)</i>	1.19	9.1			0.222	
	<i>Including 1.0m (165.0m to 166.0m)</i>	1.11	24.4		0.05	0.236	0.053
	<i>Including 0.73m (175.4m to 176.13m)</i>	26.40	565.0		1.77	1.58	0.820
	<i>Including 1.57m (176.13m to 177.7m)</i>	2.57	44.4			0.270	0.086
	<i>Including 1.0m (191.0m to 192.0m)</i>	1.29	12.4		0.086	0.608	
	<i>Including 1.0m (195.0m to 196.0m)</i>	1.92	25.4		0.048	0.624	0.060
	<i>Including 0.35m (197.25m to 197.6m)</i>	17.90	325.0		0.087	1.02	0.610
	<i>Including 1.0m (205.0 to 206.0m)</i>	1.19	66.9	0.05	1.12	0.686	
	<i>Including 11.0m (211.0m to 222.0m)</i>	6.33	67.0		0.13	0.340	0.130
	<i>Including 1.0m (231.0m to 232.0m)</i>	0.90	94.0			0.416	0.290
	<i>Including 1.0m (232.0m to 233.0m)</i>	0.18	8.1	0.19		0.079	
	<i>Including 0.8m (238.2m to 239.0m)</i>	1.91	26.5		0.52	0.242	
	<i>Including 1.0m (255.0m to 256.0m)</i>	1.43	48.3		0.24	0.166	0.09
	1.0m (313.0m to 314.0m)	0.27	217.0	0.21	0.07	0.484	0.55
	5.0m (335.0m to 340.0m)	0.08	23.5			0.065	0.17
	2.0m (369.0m to 371.0m)	0.20	26.0			0.124	0.15
	1.0m (384.0m to 385.0m)	0.10	15.9			-	0.24
	5.05m (409.05m to 414.10m)	8.00	180.0	0.05		0.58	0.57
A2-002	382.0m (120.4m to 502.4m)	0.038	1.5			0.018	0.032
	1.0m (127.0m to 128.0m)	1.00	17.1			0.160	0.059
	0.5m (164.5m to 165.0m)	9.49	14.8			0.200	0.230
	0.3m (268.1m to 268.4m)		62.7			0.510	0.285
	1.0m (299.0m to 300.0m)	0.076		3.87	0.28	0.076	
	1.9m (332.1m to 334.0m)			0.09			0.115
	1.6m (400.0m to 401.6m)		30.5			0.057	0.700
	1.0m (420.0m to 421.0m)		13.7			0.016	0.367
	10.0m (449.0m to 459.0m)	0.063	7.8				0.208
	1.0m (452.0m to 453.0m)	0.092	34.8			0.030	0.088

TABLE 1 – SIGNIFICANT DRILL INTERSECTIONS – ANOMALY A2 CROYDON

Hole No.	Intersection	Zinc (%)	Silver (g/t)	Gold (g/t)	Lead (%)	Tin (%)	Copper (%)
A2-003	279.5m	0.20	5				
	1.0m (177.0m to 178.0m)	1.95	66		1.30		
	1.0m (197.0m to 198.0m)	0.44	44			0.17	0.11
	1.0m (200.0m to 201.0m)	1.40	18				
	1.0m (203.0m to 204.0m)	1.23	20				
	1.0m (212.0m to 213.0m)	1.49	18				
	1.0m (220.0m to 221.0m)	0.96	24				
	1.0m (222.0m to 223.0m)	2.59	39			0.17	
	1.0m (227.0m to 228.0m)	1.24	16			0.10	
	1.0m (286.0m to 287.0m)	1.27	25				
	1.0m (318.0m to 319.0m)	1.73	18				
	1.0m (344.0m to 345.0m)	2.05	26				
	1.0m (387.0m to 388.0m)	0.47	37			0.25	0.17
	1.0m (413.0m to 414.0m)	1.34	13				
A2-004	399.6m	0.10	1.5				
	1.0m (307.0m to 308.0m)	1.32	10				
	2.0m (351.0m to 353.0m)	3.24	33			0.13	0.11
	1.0m (383.0m to 384.0m)	1.73	20				0.12
	1.0m (410.0m to 411.0m)	1.18	9				
A2-005	351.0m	0.20	5.5				
	7.0m (154.0 to 161.0m)	1.47	88		0.45	0.19	
	1.0m (201.0 to 202.0m)	0.73	151		0.98		
	2.0m (230.0 to 232.0m)	9.00	109			0.39	0.29
	6.0m (291.0 to 297.0m)	1.84	13				
	1.0m (381.0 to 382.0m)	1.24	8				
	1.0m (386.0 to 387.0m)	1.32	32				
	1.0m (428.0 to 429.0m)	1.32	20				
A2-006	371.1m	0.41	9.7		0.041	0.07	
	1.0m (215.0m to 216.0m)	1.09	53		0.10	0.32	
	1.0m (269.0m to 270.0m)	1.60	20			0.11	
	3.0m (283.0m to 286.0m)	1.77	63		0.60	0.27	
	10.0m (305.0m to 315.0m)	2.30	144		0.89	0.41	
	1.0m (320.0m to 321.0m)	1.91	32			0.14	

TABLE 1 – SIGNIFICANT DRILL INTERSECTIONS – ANOMALY A2 CROYDON

Hole No.	Intersection	Zinc (%)	Silver (g/t)	Gold (g/t)	Lead (%)	Tin (%)	Copper (%)
A2-006	1.0m (349.0m to 350.0m)	2.27	16			1.59	
(cont)	20.0m (418.0m to 438.0m)	4.18	49			0.38	
	<i>Including 2.0m (419.0m to 421.0m)</i>	<i>11.77</i>	<i>119</i>			<i>0.72</i>	
	<i>Including 2.0m (434.0m to 436.0m)</i>	<i>19.70</i>	<i>228</i>			<i>0.93</i>	
A2-007	361.5m	0.23	8.6			0.056	
	1.0m (160.0m to 161.0m)	3.04	118.0			0.13	0.08
	1.0m (174.0m to 175.0m)	2.11	18.3			0.04	
	1.0m (181.0m to 182.0m)	3.21	33.9			0.21	
	1.0m (192.0m to 193.0m)					1.00*	
	2.0m (211.0m to 213.0m)	3.18	37.4			0.18	
	2.0m (225.0m to 227.0m)	2.36	20.9			0.30	0.059
	1.0m (233.0m to 234.0m)	2.64	25.9			0.15	0.079
	1.0m (286.0m to 287.0m)	1.72	53.0		0.04	0.44	0.067
	1.0m (288.0m to 289.0m)	1.72	49.4			1.00*	0.073
	1.0m (298.0m to 299.0m)	1.08	7.1			0.032	
	1.0m (338.0m to 339.0m)	2.01	11.4			0.188	
	3.0m (393.0m to 396.0m)	5.10	513.0		0.68	0.60	1.71
	1.0m (421.0m to 422.0m)	1.65	20.8				0.036
	1.0m (429.0m to 430.0m)	1.38	8.6			0.24	0.15
	1.0m (431.0m to 432.0m)	1.21	18.7			0.09	0.09
	1.0m (438.0m – 439.0m)	1.81	4.4			0.12	0.09
	1.0m (452.0m to 453.0m)	1.56	3.8			0.068	0.051

* In excess of 1.0% tin – actual level pending XRF assay

NB: Where assay results are insignificant, cells have been left blank.